

Package: RastaRocket (via r-universe)

May 22, 2026

Title Rocket-Fast Clinical Research Reporting

Version 1.1.5

Description Description of the tables, both grouped and not grouped, with some associated data management actions, such as sorting the terms of the variables and deleting terms with zero numbers.

License GPL (>= 3)

URL <https://github.com/biostatustr/RastaRocket>,
<https://biostatustr.github.io/RastaRocket/>,
<https://github.com/BiostatUSMR/RastaRocket>

BugReports <https://github.com/BiostatUSMR/RastaRocket/issues>

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

Depends R (>= 4.1.0)

LazyData TRUE

Imports dplyr, tidyr, labelled, rlang, gtsummary, forcats, gt, cardx,
glue, purrr, ggh4x, ggplot2, ggrepel, scales, viridis, here

Suggests testthat (>= 3.0.0), knitr, rmarkdown

VignetteBuilder knitr

Config/testthat/edition 3

Config/pak/sysreqs

cmake make libicu-dev libuv1-dev libxml2-dev libssl-dev libnode-dev libx11-dev zlib1g-dev

Repository <https://biostatustr.r-universe.dev>

Date/Publication 2026-05-22 14:26:52 UTC

RemoteUrl <https://github.com/biostatustr/rastarocket>

RemoteRef HEAD

RemoteSha 14a90fea6ff86e8b0b5c49c2f6421b4050ddd40d

Contents

add_missing_info	2
add_pvalues	3
ajouter_label_ndm	4
base_table	5
css_generator	6
custom_format	7
custom_headers	8
custom_round	9
customize_table	9
customize_table_body	11
desc_ei_per_grade	12
desc_ei_per_pt	14
desc_var	15
df_builder_ae	18
from_name_to_adress	19
indent_gt_table	19
indent_gtsummary_table	20
intermediate_header	21
plot_butterfly_stacked_barplot	22
plot_dumbell	24
plot_patient_panchart	25
plot_volcano	26
prepare_table	28
reverselog_trans	29
riskdifference	30
select_plus	30
start_new_reporting	31
write_css	33
write_html_file	33
write_qmd	34
write_quarto_yaml	35
write_rendercopy	36
Index	37

add_missing_info	<i>Add missing value information to a gtsummary table</i>
------------------	---

Description

This function merge missing data row into label row of gtsummary object

Usage

```
add_missing_info(base_table)
```

Arguments

base_table A gtsummary table object.

Value

A gtsummary table object with missing value information and modifications applied.

add_pvalues	<i>Add p-values and separate footnotes to a gtsummary object</i>
-------------	--

Description

This function adds p-values to a gtsummary table using the specified tests and separates the p-value footnotes.

Usage

```
add_pvalues(res, tests)
```

Arguments

res A gtsummary table object.

tests A list of tests to pass to gtsummary::add_p(), or TRUE to use default tests.

Value

A gtsummary table object with p-values added and footnotes separated.

Examples

```
library(gtsummary)
tbl <- trial %>% tbl_summary(by = trt)
tbl <- add_pvalues(tbl, tests = TRUE)
```

ajouter_label_ndm *Add "n (dm ; %dm)" to Variable Labels*

Description

This function appends the text "n (dm ; %dm)" to the labels of all variables in a dataset. It uses the `labelled` package to modify and update variable labels in-place.

Usage

```
ajouter_label_ndm(data, col_to_skip = NULL)
```

Arguments

`data` A data frame containing the dataset whose variable labels need to be updated.
`col_to_skip` A column to skip when adding "n (dm ; %dm)". Default is `NULL`.

Details

The function iterates over all columns in the dataset and performs the following steps:

1. Retrieves the current label of each variable using `labelled::var_label`.
2. Creates a new label by appending the text "n (dm ; %dm)" to the existing label.
3. Updates the variable's label using `labelled::set_variable_labels`.

This is useful when preparing a dataset for descriptive analysis, where it is helpful to display missing data statistics (n, dm, and %dm) alongside variable labels in summary tables.

Value

A data frame with updated variable labels.

Examples

```
# Example usage:
library(labelled)

# Create a sample dataset
data <- data.frame(
  var1 = c(1, 2, NA),
  var2 = c("A", "B", NA)
)

# Assign initial labels
data <- labelled::set_variable_labels(
  data,
  var1 = "Variable 1",
  var2 = "Variable 2"
)
```

```
# Add "n (dm ; %dm)" to labels
data <- ajouter_label_ndm(data)

# Check updated labels
labelled::var_label(data)
```

base_table

Create a Summary Table with Grouping and Custom Formatting

Description

This function generates a summary table from a data frame with specified grouping and variable types. It uses the `gtsummary` package to create descriptive statistics for categorical and continuous variables, with options for customizing the rounding and labels.

Usage

```
base_table(
  data1,
  show_missing_data,
  by_group = FALSE,
  var_group,
  quali = NULL,
  quanti = NULL,
  stat_var_quanti = c("{mean} ({sd})", "{median} ({p25}; {p75})", "{min}; {max}"),
  digits = list(r_quanti = 1, r_quali = 1),
  freq_relevel = FALSE
)
```

Arguments

<code>data1</code>	A data frame containing the dataset to be analyzed.
<code>show_missing_data</code>	Default to NULL. Should the missing data be displayed. Can be either : <ul style="list-style-type: none"> • FALSE: No missing data displayed • TRUE: Missing data displayed • NULL (default): will be switch to <code>anyNA(data1)</code> value.
<code>by_group</code>	A boolean (default is FALSE) to analyse by group.
<code>var_group</code>	A variable used for grouping (if applicable). Defaults to NULL.
<code>quali</code>	A vector of qualitative variables to be described. Defaults to NULL.
<code>quanti</code>	A vector of quantitative variables to be described. Defaults to NULL.
<code>stat_var_quanti</code>	A character vector specifying the statistics to display for continuous variables. Default is <code>c("{mean} ({sd})", "{median} ({p25}; {p75})", "{min}; {max}")</code> .

digits	A list, the number of decimal places to round categorical and continuous variable. r_quanti and r_quali can be a single integer or a vector of integer. Default is list(r_quanti = 1, r_quali = 1)
freq_relevel	Boolean (default = FALSE). If TRUE, reorder factors by frequency (most to least frequent) using gtsummary.

Value

A gtsummary table summarizing the specified variables, grouped by var_group if provided, with customizable statistics and rounding options.

Examples

```
# Example usage with the iris dataset
base_table(iris, var_group = "Species", show_missing_data = TRUE)
```

css_generator	<i>css_generator</i>
---------------	----------------------

Description

Generate css to be included in quarto.

Usage

```
css_generator(path_logo = NULL)
```

Arguments

path_logo The path to logo, will automatically be guessed on the package.

Value

A css string

custom_format	<i>Custom formatting for gtsummary and gt tables</i>
---------------	--

Description

This function takes a gtsummary or gt table and applies custom formatting. It allows you to align columns, apply bold text to certain rows, and adjust column widths if specified.

Usage

```
custom_format(gt_table, align = "right", column_size = NULL)
```

Arguments

gt_table	A gt table object (also handles gtsummary tables by converting them).
align	A character string defining the alignment of specific columns. Passed to the <code>gt::cols_align()</code> function (e.g., "left", "right", "center"). Default is "right".
column_size	A named list or vector defining the width of columns (optional). The list should specify the width for one or more columns. If not provided, column widths will not be modified.

Value

A gt table object with the specified formatting applied. The table will have columns aligned according to the align parameter, and cells in the "label" rows will have bold text. If column_size is provided, the column widths will be adjusted accordingly.

Examples

```
# Example usage
tbl <- RastaRocket::desc_var(iris,
  table_title = "test",
  group = TRUE,
  var_group = "Species")
formatted_tbl <- custom_format(tbl,
  align = "center",
  column_size = list(label ~ gt::pct(50)))
formatted_tbl
```

custom_headers	<i>Modify gtsummary table headers and add a spanning header</i>
----------------	---

Description

This function customizes the column headers, optional spanning header, and table caption for a gtsummary table. It supports adding a feature name, total label, group title, and formats missing data presentation.

Usage

```
custom_headers(
  base_table_missing,
  var_characteristic = NULL,
  show_missing_data = TRUE,
  show_n_per_group = TRUE,
  var_tot = NULL,
  var_group = NULL,
  group_title = NULL,
  table_title
)
```

Arguments

base_table_missing	A gtsummary table object (typically output from previous steps).
var_characteristic	Optional. A string to label the features column.
show_missing_data	Logical. If TRUE, adds missing data info to column headers.
show_n_per_group	A boolean indicating whether to display group sizes (n) for each level of the grouping variable.
var_tot	Optional. A string to label the total column.
var_group	Optional. Name of a grouping variable for adding a spanning header.
group_title	Optional. Title for the spanning header. If NULL, uses the variable label or name.
table_title	Title for the entire table.

Value

A gtsummary table object with updated headers, spanning header, and caption.

custom_round	<i>Custom Round and Format</i>
--------------	--------------------------------

Description

Rounds a numeric value to a specified number of decimal places and formats it to always show the specified number of decimal places, including trailing zeros.

Usage

```
custom_round(x, digits = 1)
```

Arguments

x	A numeric vector to be rounded and formatted.
digits	An integer indicating the number of decimal places to round to. Defaults to 1.

Value

A character vector with the rounded and formatted numbers.

Examples

```
RastaRocket::custom_round(3.14159)      # "3.1"
RastaRocket::custom_round(3.14159, 3)   # "3.142"
RastaRocket::custom_round(c(2, 2.5), 2) # "2.00" "2.50"
```

customize_table	<i>Customize a Summary Table with Grouping, Missing Data, and Custom Titles</i>
-----------------	---

Description

This function customizes a `gtsummary` summary table by adding an overall column, handling missing data, applying group-specific statistics, and updating headers and captions. It provides flexible options for grouping, displaying missing data, and customizing table titles.

Usage

```
customize_table(
  base_table,
  by_group = FALSE,
  var_group,
  add_total,
  show_missing_data,
```

```

    show_n_per_group,
    group_title,
    table_title,
    var_title,
    var_tot = NULL,
    var_characteristic = NULL
)

```

Arguments

<code>base_table</code>	A gtsummary table object, typically generated using functions like <code>gtsummary::tbl_summary</code> .
<code>by_group</code>	A boolean (default is FALSE) to analyse by group.
<code>var_group</code>	A variable used for grouping (if applicable). Defaults to NULL.
<code>add_total</code>	A boolean (default is TRUE) to add total column or not when <code>var_group</code> is specified.
<code>show_missing_data</code>	Default to NULL. Should the missing data be displayed. Can be either : <ul style="list-style-type: none"> • FALSE: No missing data displayed • TRUE: Missing data displayed • NULL (default): will be switch to <code>anyNA(data1)</code> value.
<code>show_n_per_group</code>	Default to FALSE. Should the 'N' appears in the column header of the groups. Can be either : <ul style="list-style-type: none"> • FALSE: No 'N' is shown • TRUE: 'N' is shown
<code>group_title</code>	A character string specifying the title for the grouping variable. Default is NULL and get the label or the variable.
<code>table_title</code>	A character string specifying the title of the table.
<code>var_title</code>	A character string for the title of the variable column in the table. Defaults to "Variable".
<code>var_tot</code>	A string specifying the name of total column. Default is NULL and will guess from <code>theme_gtsummary_language()</code> .
<code>var_characteristic</code>	A string specifying the name of characteristic column. Default is NULL and will guess from <code>theme_gtsummary_language()</code> .

Details

- The `show_missing_data` parameter determines whether missing data counts and percentages are displayed:
 - If TRUE, missing data columns are added.
 - If FALSE, only non-missing data counts are displayed.
- Headers for columns and spanning headers are customized using the `group_title`, `table_title`, and `var_title` arguments.

Value

A customized gtsummary table object with added columns, headers, captions, and modifications based on the provided arguments.

Examples

```
# Example usage with a sample gtsummary table
library(gtsummary)
base_table <- trial %>%
  gtsummary::tbl_summary(
    type = list(
      gtsummary::all_continuous() ~ "continuous2"
    ),
    by = "trt",
    missing = "always",
    missing_stat = "{N_nonmiss} ({N_miss})",
    statistic = list(
      gtsummary::all_continuous2() ~ c("{mean} ({sd})",
                                         "{median} ({p25} ; {p75})",
                                         "{min} ; {max}")
    )
  )

customize_table(
  base_table,
  var_group = "trt",
  add_total = TRUE,
  show_missing_data = TRUE,
  show_n_per_group = FALSE,
  group_title = "Treatment Group",
  table_title = "Summary Statistics",
  var_title = "Variables",
  var_tot = "Total"
)
```

customize_table_body *Customize Table Body*

Description

This function modifies a data frame by updating the `stat_0` column. If any values in `stat_0` are missing (NA), they are replaced by the values from the `n` column. After the replacement, the `n` column is removed from the data frame.

Usage

```
customize_table_body(data)
```

Arguments

- `data` A data frame that must contain at least two columns:
- `stat_0`: A column whose missing (NA) values are to be replaced.
 - `n`: A column providing replacement values for `stat_0` when its values are missing.

Details

- The function uses `dplyr::case_when` to conditionally update the `stat_0` column.
- After the replacement process, the `n` column is dropped using `dplyr::select(-n)`.
- This function is particularly useful for cleaning and preparing table data.

Value

A modified data frame with:

- Updated `stat_0` values (replaced with `n` values where NA is found).
- The `n` column removed after integration.

Examples

```
# Example data
data <- data.frame(
  stat_0 = c(NA, "B", "C"),
  n = c(10, 20, 30)
)

# Apply the function
modified_data <- RastaRocket::customize_table_body(data)
print(modified_data)
```

`desc_ei_per_grade` *desc_ei_per_grade*

Description

A function to describe adverse events (AE) by grade.

Usage

```
desc_ei_per_grade(
  df_pat_grp,
  df_pat_grade,
  id_col = "USUBJID",
  group_col = "RDGRPNAME",
  ei_num_col = "EINUM",
```

```

ei_grdm_col = "EIGRDM",
ei_grav_col = "EIGRAV",
severity = TRUE,
digits = 1,
language = "fr"
)

```

Arguments

<code>df_pat_grp</code>	A dataframe with two columns: USUBJID (Patient id) and RDGRPNAME (the RCT arm).
<code>df_pat_grade</code>	A dataframe with four columns: USUBJID (Patient id), EINUM (the AE id), EIGRDM (the AE grade) and EIGRAV (the AE severity which must be "Grave" and "Non grave").
<code>id_col</code>	Patient id column (default: "USUBJID").
<code>group_col</code>	group column, the rct arm (default: "RDGRPNAME").
<code>ei_num_col</code>	AE id column (default: "EINUM").
<code>ei_grdm_col</code>	AE grade column (default: "EIGRDM").
<code>ei_grav_col</code>	AE severity column (default: "EIGRAV").
<code>severity</code>	A boolean to show severe adverse event line or not (default: TRUE).
<code>digits</code>	Number of digits for percentages
<code>language</code>	'fr' default or 'en'

Value

A gt table summarizing the AE by grade.

Examples

```

df_pat_grp <- data.frame(USUBJID = paste0("ID_", 1:10),
                        RDGRPNAME = c(rep("A", 3), rep("B", 3), rep("C", 4)))

df_pat_grade <- data.frame(USUBJID = c("ID_1", "ID_1",
                                       "ID_2",
                                       "ID_8",
                                       "ID_9"),
                          EINUM = c(1, 2,
                                     1,
                                     1,
                                     1),
                          EIGRDM = c(1, 3,
                                     4,
                                     2,
                                     4),
                          EIGRAV = c("Grave", "Non grave",
                                     "Non grave",
                                     "Non grave",
                                     "Grave"))

```

```
desc_ei_per_grade(df_pat_grp = df_pat_grp,
                 df_pat_grade = df_pat_grade)
```

desc_ei_per_pt	<i>desc_ei_per_pt</i>
----------------	-----------------------

Description

A function to describe AE by soc and pt

Usage

```
desc_ei_per_pt(
  df_pat_grp,
  df_pat_llt,
  id_col = "USUBJID",
  group_col = "RDGRPNAME",
  ei_num_col = "EINUM",
  ei_llt_col = "EILLTN",
  ei_soc_col = "EISOCPN",
  ei_pt_col = "EIPTN",
  language = "fr",
  order_by_freq = TRUE,
  digits = 1
)
```

Arguments

df_pat_grp	A dataframe with two columns: id_pat and grp (the rct arm)
df_pat_llt	A dataframe with two columns: id_pat (patient id), num_ae (AE id), llt (AE LLT), pt (AE PT), soc (AE)
id_col	Patient id column (default: "USUBJID").
group_col	group column, the rct arm (default: "RDGRPNAME").
ei_num_col	AE id column (default: "EINUM").
ei_llt_col	AE LLT column (default: "EILLTN").
ei_soc_col	AE SOC column (default: "EISOCPN").
ei_pt_col	AE PT column (default: "EIPTN")
language	'fr' default or 'en'
order_by_freq	Logical. Should PT and SOC be ordered by frequency? Defaults to TRUE. If FALSE, PT and SOC are ordered alphabetically.
digits	Number of digits for percentages

Value

A gt table

Examples

```
df_pat_grp <- data.frame(USUBJID = paste0("ID_", 1:10),
                        RDGRPNAME = c(rep("A", 3), rep("B", 3), rep("C", 4)))

df_pat_llt <- data.frame(USUBJID = c("ID_1", "ID_1",
                                    "ID_2",
                                    "ID_4",
                                    "ID_9"),
                        EINUM = c(1, 2, 1, 1, 1),
                        EILLTN = c("llt1", "llt1",
                                   "llt4", "llt3",
                                   "llt1"),
                        EIPTN = c("Arrhythmia", "Myocardial Infarction",
                                   "Arrhythmia", "Pneumonia",
                                   "Pneumonia"),
                        EISOCPN = c("Cardiac Disorders", "Cardiac Disorders",
                                   "Cardiac Disorders", "Infections",
                                   "Infections"))

desc_ei_per_pt(df_pat_grp = df_pat_grp,
               df_pat_llt = df_pat_llt)
```

desc_var

Generate Descriptive Tables for Variables

Description

This function creates descriptive tables for variables in a dataset. It can handle qualitative and quantitative variables, grouped or ungrouped, and supports multiple configurations for handling missing data (DM).

Usage

```
desc_var(
  data1,
  table_title = "",
  quali = NULL,
  quanti = NULL,
  add_total = TRUE,
  var_title = "Variable",
  by_group = FALSE,
  var_group = NULL,
  group_title = NULL,
```

```

stat_var_quanti = c("{mean} ({sd})", "{median} ({p25}; {p75})", "{min}; {max}"),
digits = list(r_quanti = 1, r_quali = 0),
drop_levels = TRUE,
freq_relevel = FALSE,
tests = FALSE,
show_n_per_group = FALSE,
show_missing_data = NULL,
var_tot = NULL,
var_characteristic = NULL,
include_all_na_cat = TRUE
)

```

Arguments

<code>data1</code>	A data frame containing the dataset to be analyzed.
<code>table_title</code>	A character string specifying the title of the table.
<code>quali</code>	A vector of qualitative variables to be described. Defaults to NULL.
<code>quanti</code>	A vector of quantitative variables to be described. Defaults to NULL.
<code>add_total</code>	A boolean (default is TRUE) to add total column or not when <code>var_group</code> is specified.
<code>var_title</code>	A character string for the title of the variable column in the table. Defaults to "Variable".
<code>by_group</code>	A boolean (default is FALSE) to analyse by group.
<code>var_group</code>	A variable used for grouping (if applicable). Defaults to NULL.
<code>group_title</code>	A character string specifying the title for the grouping variable. Default is NULL and get the label or the variable.
<code>stat_var_quanti</code>	A character vector specifying the statistics to display for continuous variables. Default is <code>c("{mean} ({sd})", "{median} ({p25}; {p75})", "{min}; {max}")</code> .
<code>digits</code>	A list, the number of decimal places to round categorical and continuous variable. <code>r_quanti</code> and <code>r_quali</code> can be a single integer or a vector of integer. Default is <code>list(r_quanti = 1, r_quali = 1)</code>
<code>drop_levels</code>	Boolean (default = TRUE). Drop unused levels.
<code>freq_relevel</code>	Boolean (default = FALSE). If TRUE, reorder factors by frequency (most to least frequent) using <code>gtsummary</code> .
<code>tests</code>	A value in order to add p value. Default to FALSE OPTION : <ul style="list-style-type: none"> • FALSE: No p-value add • TRUE: Add p-value made by default by <code>gtsummary</code>. See <code>gtsummary add_p()</code> options. • <code>list()</code>: To force tests. See <code>gtsummary add_p()</code> options.
<code>show_n_per_group</code>	Default to FALSE. Should the 'N' appears in the column header of the groups. Can be either : <ul style="list-style-type: none"> • FALSE: No 'N' is shown

- TRUE: 'N' is shown

show_missing_data
Default to NULL. Should the missing data be displayed. Can be either :

- FALSE: No missing data displayed
- TRUE: Missing data displayed
- NULL (default): will be switch to anyNA(data1) value.

var_tot
A string specifying the name of total column. Default is NULL and will guess from theme_gtsummary_language().

var_characteristic
A string specifying the name of characteristic column. Default is NULL and will guess from theme_gtsummary_language().

include_all_na_cat
Should the categorical variable with a missing levels (all values are NA) be displayed. Default to TRUE

Details

The function processes the dataset according to the specified parameters and generates descriptive tables.

- It first uses the `ajouter_label_ndm()` function to append missing data statistics to variable labels.
- Depending on the `group` and `DM` arguments, it adjusts the dataset and creates tables using helper functions like `desc_group`, `desc_degroup`, and `desc_degroup_group`.
- Qualitative variables are reordered, and unused levels are dropped when necessary.

Value

A `gtsummary` table object containing the descriptive statistics.

Examples

```
# Example usage:
library(dplyr)

# Sample dataset
data1 <- data.frame(
  group = c("A", "B", "B", "C"),
  var1 = c(1, 2, 3, NA),
  var2 = c("X", "Y", "X", NA)
)

# Generate descriptive table
table <- desc_var(
  data1 = data1,
  table_title = "Descriptive Table",
  quanti = "var1"
)
```

```

# Order categorical features by frequency
table1 <- desc_var(
  data1 = data1,
  table_title = "Descriptive Table",
  quanti = "var1",
  freq_relevel = TRUE)

# Round quantitative and qualitative features using a vector of integer
table2 <- desc_var(
  data1 = iris,
  quanti = "Sepal.Length",
  stat_var_quanti = c("{sum}", "{mean} ({sd})"),
  digits = list(r_quanti = c(1, 3, 2), r_quali = c(0, 2))
)

```

df_builder_ae

Prepare a dataframe for creating AE plots

Description

Prepare a dataframe for creating AE plots

Usage

```
df_builder_ae(df_pat_grp, df_pat_llt, ref_grp = NULL)
```

Arguments

df_pat_grp	A data frame of patient groups. Must contain columns USUBJID (patient ID) and RDGRPNAME (group assignment).
df_pat_llt	A data frame with USUBJID (subject ID), EINUM (AE ID), EILLTN (LLT identifier), EIPTN (PT identifier), EISOCPN (soc identifier) and EIGRDM (severity grade)
ref_grp	(Optional) A reference group for comparisons. Defaults to the first group in df_pat_grp.

Value

A dataframe with all the info to build AE plots

from_name_to_adress *Convert a Name to an Email Address*

Description

This function transforms a given name into an email address following the format `firstname.lastname@chu-bordeaux.fr`.

Usage

```
from_name_to_adress(name = "Peter Parker")
```

Arguments

`name` A character string representing a full name. Default is "Peter Parker".

Value

A character string containing the generated email address.

Examples

```
from_name_to_adress("John Doe")
from_name_to_adress()
```

indent_gt_table *Text indentation for gt tables*

Description

Text indentation for gt tables

Usage

```
indent_gt_table(g_table, indent = 0)
```

Arguments

`g_table` A gt table object

`indent` A numerical value corresponding to the pixel value, which defines the text indentation (default = 0 corresponding to px(0)). 30 ~ px(30) should be a good compromise.

Value

A gt table object with indentation applied.

Examples

```
tbl_bis <- RastaRocket::desc_var(  
  iris,  
  table_title = "test",  
  quali = "Species")  
  
tbl_bis |> indent_gt_table(indent = 30)  
tbl_bis |> indent_gt_table(indent = 60)
```

indent_gtsummary_table

Text indentation for gtsummary tables

Description

Text indentation for gtsummary tables

Usage

```
indent_gtsummary_table(gts_table, indent = 4)
```

Arguments

gts_table	A gtsummary table object
indent	A numerical value indicating how many space to indent text (default = 4). A value of 8 should be a good compromise.

Value

A gtsummary table object with indentation applied.

Examples

```
tbl <- iris |> dplyr::select(Species, Sepal.Length) |> RastaRocket::desc_var(  
  table_title = "test",  
  quali = "Species")  
tbl_1 <- tbl |> indent_gtsummary_table(indent = 4)  
tbl_2 <- tbl |> indent_gtsummary_table(indent = 8)  
tbl_3 <- tbl |> indent_gtsummary_table(indent = 16)
```

intermediate_header *Intermediate Header*

Description

Combines multiple descriptive tables into a single table with customized row group headers and styling. This function accepts a list of tables and corresponding group headers, applies consistent styling, and outputs a styled gt table.

Usage

```
intermediate_header(  
  tbls,  
  group_header,  
  color = "#8ECAE6",  
  size = 16,  
  align = "center",  
  weight = "bold"  
)
```

Arguments

tbls	A list of descriptive tables (generated by <code>RastaRocket::desc_var</code> or similar functions).
group_header	A character vector specifying the headers for each group of tables. Must be the same length as <code>tbls</code> .
color	A character string specifying the background color for the row group headers. Default is <code>"#8ECAE6"</code> .
size	An integer specifying the font size for the row group headers. Default is 16.
align	A character string specifying text alignment for the row group headers. Options are <code>"left"</code> , <code>"center"</code> , or <code>"right"</code> . Default is <code>"center"</code> .
weight	A character string specifying the font weight for the row group headers. Options include <code>"normal"</code> , <code>"bold"</code> , etc. Default is <code>"bold"</code> .

Value

A styled gt table combining the input tables with row group headers.

Examples

```
# Load necessary libraries  
library(RastaRocket)  
library(dplyr)  
  
# Generate sample data  
data <- data.frame()
```

```

Age = c(rnorm(45, mean = 50, sd = 10), rep(NA, 5)),
sexe = sample(c("Femme", "Homme"), 50, replace = TRUE, prob = c(0.6, 0.4)),
quatre_modalites = sample(c("A", "B", "C", "D"), 50, replace = TRUE)
)

# Create descriptive tables
tb1 <- data %>%
  dplyr::select(Age, sexe) %>%
  RastaRocket::desc_var(table_title = "Demographics", group = FALSE)

tb2 <- data %>%
  dplyr::select(quatre_modalites) %>%
  RastaRocket::desc_var(table_title = "Modalities", group = FALSE)

# Combine and style tables
intermediate_header(
  tbls = list(tb1, tb2),
  group_header = c("Demographics", "Modalities")
)

```

plot_butterfly_stacked_barplot

Butterfly Stacked Bar Plot for Adverse Event Grades

Description

Creates a butterfly stacked bar plot to visualize the frequency of adverse event (AE) grades across patient groups, with system organ class (SOC) and preferred terms (PT) as labels.

Usage

```

plot_butterfly_stacked_barplot(
  df_pat_grp,
  df_pat_llt,
  ref_grp = NULL,
  max_text_width = 9,
  vec_fill_color = viridis::viridis(n = 4)
)

```

Arguments

df_pat_grp	A data frame of patient groups. Must contain columns USUBJID (patient ID) and RDGRPNAME (group assignment).
df_pat_llt	A data frame with USUBJID (subject ID), EINUM (AE ID), EILLTN (LLT identifier), EIPTN (PT identifier), EISOCPN (soc identifier) and EIGRDM (severity grade)
ref_grp	A character string specifying the reference group (used for alignment in the plot). If NULL (default), the first level of df_pat_grp\$grp is used.

- `max_text_width` An integer specifying the maximum width (in characters) for SOC labels before wrapping to the next line. Default is 9.
- `vec_fill_color` A vector of colors used for filling the AE grade bars. Default is `viridis::viridis(n = 4)`.

Details

The function processes input data to calculate the frequency of adverse events per patient group and AE grade. It then generates a stacked bar plot where:

- The x-axis represents the percentage of patients experiencing an AE.
- The y-axis represents PTs (with SOCs as facets).
- Bars are stacked by AE grade.
- Labels for PTs are displayed in the center.
- The left and right panels correspond to different patient groups.

The function utilizes the `ggh4x` package to adjust panel sizes and axes for a symmetrical butterfly plot.

Value

A `ggplot2` object representing the butterfly stacked bar plot.

Examples

```
df_pat_grp <- data.frame(
  USUBJID = paste0("ID_", 1:10),
  RDGRPNAME = c(rep("A", 5), rep("B", 5))
)

df_pat_llt <- data.frame(
  USUBJID = c("ID_1", "ID_1", "ID_2", "ID_4", "ID_9"),
  EENUM = c(1, 2, 1, 1, 1),
  EILLTN = c("llt1", "llt2", "llt1", "llt3", "llt4"),
  EIPTN = c("Arrhythmia", "Myocardial Infarction", "Arrhythmia", "Pneumonia", "Pneumonia"),
  EISOCPN = c("Cardiac Disorders", "Cardiac Disorders", "Cardiac Disorders",
    "Infections", "Infections"),
  EIGRDM = c(1, 3, 4, 2, 4)
)

plot_butterfly_stacked_barplot(df_pat_grp, df_pat_llt)
```

plot_dumbell

*Plot a Dumbbell Chart for Adverse Events Analysis***Description**

This function creates a dumbbell plot comparing the occurrence of adverse events across different patient groups. The plot includes the total number of adverse events, the proportion of patients affected, and the risk difference with confidence intervals.

Usage

```
plot_dumbell(
  df_pat_grp,
  df_pat_llt,
  ref_grp = NULL,
  colors_arm = c("#1b9e77", "#7570b3"),
  color_label = "Arm"
)
```

Arguments

df_pat_grp	A data frame of patient groups. Must contain columns USUBJID (patient ID) and RDGRPNAME (group assignment).
df_pat_llt	A data frame with USUBJID (subject ID), EINUM (AE ID), EILLTN (LLT identifier), EIPTN (PT identifier), EISOCPN (soc identifier) and EIGRDM (severity grade)
ref_grp	(Optional) A reference group for comparisons. Defaults to the first group in df_pat_grp.
colors_arm	A vector of colors for the patient groups. Defaults to c("#1b9e77", "#7570b3").
color_label	A string specifying the legend label for the groups. Defaults to "Arm".

Value

A ggplot object displaying the dumbbell chart.

Examples

```
df_pat_grp <- data.frame(
  USUBJID = paste0("ID_", 1:10),
  RDGRPNAME = c(rep("A", 5), rep("B", 5))
)

df_pat_llt <- data.frame(
  USUBJID = c("ID_1", "ID_1", "ID_2", "ID_4", "ID_9"),
  EINUM = c(1, 2, 1, 1, 1),
  EILLTN = c("11t1", "11t2", "11t1", "11t3", "11t4"),
  EIPTN = c("Arrhythmia", "Myocardial Infarction", "Arrhythmia", "Pneumonia", "Pneumonia"),
```

```
EISOCPN = c("Cardiac Disorders", "Cardiac Disorders", "Cardiac Disorders",  
"Infections", "Infections"),  
EIGRDM = c(1, 3, 4, 2, 4)  
)  
  
plot_dumbell(df_pat_llt = df_pat_llt, df_pat_grp = df_pat_grp)
```

plot_patient_panchart *Plot a Patient Span Chart (Panchart)*

Description

This function visualizes the timeline of adverse events (AEs), treatments, and randomization for a selected patient. The span chart helps track AE duration and treatment events relative to randomization.

Usage

```
plot_patient_panchart(  
  df_soc_pt,  
  df_pat_grp_rando,  
  df_pat_pt_grade_date,  
  df_pat_treatment_date,  
  pat_id,  
  vec_fill_color = viridis::viridis(n = 4, direction = -1, end = 0.95, option = "magma")  
)
```

Arguments

df_soc_pt A data frame mapping System Organ Class (SOC) to Preferred Terms (PT).
df_pat_grp_rando A data frame containing patient IDs, randomization groups, and randomization dates.
df_pat_pt_grade_date A data frame with patient IDs, PT terms, AE grades, start and end dates of AEs.
df_pat_treatment_date A data frame with patient IDs and treatment dates.
pat_id A character string specifying the patient ID to plot.
vec_fill_color A vector of colors for AE grades. Default is `viridis::viridis(n = 4)`.

Value

A ggplot object representing the patient span chart.

Examples

```

df_pat_grp_rando <- data.frame(
  id_pat = c("ID_1", "ID_2"),
  grp = c("A", "B"),
  rando_date = c("2020-12-01", "2021-01-03")
)

df_pat_pt_grade_date <- data.frame(
  id_pat = c("ID_1", "ID_1", "ID_1", "ID_1", "ID_2"),
  pt = c("Arrhythmia", "Myocardial Infarction", "Arrhythmia",
        "Pneumonia", "Pneumonia"),
  grade = c(4, 2, 1, 3, 4),
  start = c("2021-01-01", "2021-02-03", "2021-01-02", "2021-03-05", "2021-02-01"),
  end = c("2021-01-14", "2021-03-03", "2021-01-22", "2021-05-05", "2021-02-03")
)

df_pat_treatment_date <- data.frame(
  id_pat = c("ID_1", "ID_1", "ID_1"),
  treatment_date = c("2021-01-25", "2021-03-01", "2021-01-20")
)

df_soc_pt <- data.frame(
  pt = c("Arrhythmia", "Myocardial Infarction", "Pneumonia", "Sepsis"),
  soc = c("Cardiac Disorders", "Cardiac Disorders", "Infections", "Infections")
)

plot_patient_panchart(
  df_soc_pt = df_soc_pt,
  df_pat_grp_rando = df_pat_grp_rando,
  df_pat_pt_grade_date = df_pat_pt_grade_date,
  df_pat_treatment_date = df_pat_treatment_date,
  pat_id = "ID_1"
)

```

plot_volcano

Volcano Plot for Adverse Event Analysis

Description

Generates a volcano plot to visualize the association between adverse events and patient groups.

Usage

```

plot_volcano(
  df_pat_grp,
  df_pat_llt,
  ref_grp = NULL,
  colors_arm = c("#1b9e77", "#7570b3"),
  size = "nb_pat"
)

```

Arguments

df_pat_grp	A data frame of patient groups. Must contain columns USUBJID (patient ID) and RDGRPNAME (group assignment).
df_pat_llt	A data frame with USUBJID (subject ID), EINUM (AE ID), EILLTN (LLT identifier), EIPTN (PT identifier), EISOCPN (soc identifier) and EIGRDM (severity grade)
ref_grp	(Optional) A reference group for comparisons. Defaults to the first group in df_pat_grp.
colors_arm	A character vector of length two specifying the colors for the two patient groups in the plot. Default is c("#1b9e77", "#7570b3").
size	A character string specifying the metric used for point sizes in the plot. Options are: <ul style="list-style-type: none"> • "nb_pat": Number of patients (default). • "nb_ei": Number of adverse events.

Details

The function first processes input data using `df_builder_ae()`, then calculates relevant statistics such as risk difference (RD) and p-values. The volcano plot displays:

- RD on the x-axis (risk difference between groups).
- $-\log_{10}(\text{p-value})$ on the y-axis (significance level).
- Point colors indicating which group has an increased risk.
- Point sizes reflecting either the number of patients or events.
- A horizontal dashed line at $p = 0.05$ for significance threshold.

Value

A `ggplot2` object representing the volcano plot.

Examples

```
df_pat_grp <- data.frame(
  USUBJID = paste0("ID_", 1:10),
  RDGRPNAME = c(rep("A", 5), rep("B", 5))
)

df_pat_llt <- data.frame(
  USUBJID = c("ID_1", "ID_1", "ID_2", "ID_4", "ID_9"),
  EINUM = c(1, 2, 1, 1, 1),
  EILLTN = c("llt1", "llt2", "llt1", "llt3", "llt4"),
  EIPTN = c("Arrhythmia", "Myocardial Infarction", "Arrhythmia", "Pneumonia", "Pneumonia"),
  EISOCPN = c("Cardiac Disorders", "Cardiac Disorders", "Cardiac Disorders",
    "Infections", "Infections"),
  EIGRDM = c(1, 3, 4, 2, 4)
)

plot_volcano(df_pat_grp, df_pat_llt)
```

prepare_table	<i>Prepare a Data Frame for Summarization with Custom Missing Data Handling and Factor Ordering</i>
---------------	---

Description

This function prepares a data frame for summarization by handling missing data based on the `show_missing_data` argument and applying the specified data manipulation (DM) option to factor variables. It provides flexibility for data cleaning and ordering before summarizing with functions like `gtsummary`.

Usage

```
prepare_table(
  data1,
  by_group = FALSE,
  var_group = NULL,
  drop_levels = TRUE,
  show_missing_data = TRUE,
  include_all_na_cat = TRUE
)
```

Arguments

<code>data1</code>	A data frame containing the dataset to be analyzed.
<code>by_group</code>	A boolean (default is FALSE) to analyse by group.
<code>var_group</code>	A variable used for grouping (if applicable). Defaults to NULL.
<code>drop_levels</code>	Boolean (default = TRUE). Drop unused levels.
<code>show_missing_data</code>	Default to NULL. Should the missing data be displayed. Can be either : <ul style="list-style-type: none"> • FALSE: No missing data displayed • TRUE: Missing data displayed • NULL (default): will be switch to <code>anyNA(data1)</code> value.
<code>include_all_na_cat</code>	Should the categorical variable with a missing levels (all values are NA) be displayed. Default to TRUE

Details

- The DM option defines the data manipulation to be applied to factor variables:
 - "tout": Both order factor levels and drop unused levels.
 - "tri": Only order factor levels.
 - "remove": Drop unused factor levels without ordering.

Examples

```
# Example usage with the iris dataset
prepare_table(iris)
```

reverselog_trans	<i>Reverse Log Transformation</i>
------------------	-----------------------------------

Description

Creates a transformation object for a reverse log scale, which can be used in ggplot2 scales.

Usage

```
reverselog_trans(base = exp(1))
```

Arguments

base A numeric value specifying the logarithm base. Default is the natural logarithm ($\exp(1)$).

Details

This function defines a reverse logarithmic transformation, where the transformation function is

$$-\log(x, \text{base})$$

and the inverse function is

$$\text{base}^{-x}$$

. It is useful for cases where a decreasing log scale is needed.

Value

A transformation object compatible with ggplot2 scales.

Examples

```
library(scales)
rev_log <- reverselog_trans(10)
rev_log$trans(100) # -2
rev_log$inverse(-2) # 100
```

riskdifference	<i>riskdifference</i>
----------------	-----------------------

Description

A function from the `fmsb` package to compute risk difference. Calculate risk difference (a kind of attributable risk / excess risk) and its confidence intervals based on approximation, followed by null hypothesis (risk difference equals to 0) testing.

Usage

```
riskdifference(a, b, N1, N0, CRC = FALSE, conf.level = 0.95)
```

Arguments

<code>a</code>	The number of disease occurrence among exposed cohort.
<code>b</code>	The number of disease occurrence among non-exposed cohort.
<code>N1</code>	The population at risk of the exposed cohort.
<code>N0</code>	The population at risk of the unexposed cohort.
<code>CRC</code>	Logical. If TRUE, calculate confidence intervals for each risk. Default is FALSE.
<code>conf.level</code>	Probability for confidence intervals. Default is 0.95.

Value

A list with the results

select_plus	<i>Column selection with optional grouping variable</i>
-------------	---

Description

This function extends `dplyr::select()` by allowing the dynamic addition of one or more grouping variables (`var_group`) to the selection.

Usage

```
select_plus(.data, ..., var_group = NULL)
```

Arguments

<code>.data</code>	A data frame.
<code>...</code>	Columns to select (as in <code>dplyr::select()</code>).
<code>var_group</code>	A character string or vector of column names to additionally include, typically one or more grouping variables. Can be NULL.

Details

It is especially useful when switching between an ungrouped analysis (e.g., all observations together) and a grouped analysis (e.g., stratified or including interaction terms), without rewriting code.

For instance, this allows you to write a single analysis command for both the RDD (Rapport de Démarrage des Données) and the final report, simply by changing the .qmd file, without modifying the core analysis code.

Value

A data frame with the selected columns, including var_group if specified.

Examples

```
library(dplyr)
df <- data.frame(x = 1:3, y = 4:6, z = 7:9)

# Simple selection
select_plus(df, x, y)

# Selection with grouping variable
select_plus(df, x, var_group = "z")
```

start_new_reporting *Generate qmd, html and css files for reporting*

Description

This function creates and writes a qmd file with css and html to report statistical analysis.

Usage

```
start_new_reporting(
  folder_path,
  output_folder,
  name = "report",
  structure = "USMR",
  path_logo = NULL,
  confidential = FALSE,
  report_type = "Data review report",
  study_id = "CHUBXYYYY/NN",
  study_name = "The Study Name",
  study_abbreviation = "TSN",
  investigator = "Investigator name",
  methodologist = "Jean Dupont",
  biostatistician = "George Frais",
  datamanager = "Peter Parker",
```

```

methodologist_mail = NULL,
biostatistician_mail = NULL,
datamanager_mail = NULL,
language = "fr"
)

```

Arguments

folder_path	The folder where this should be created
output_folder	The folder where the html will be recorded.
name	The name of the files
structure	Character string indicating the organizational structure, either "USMR" or "EU-CLID". Default is "USMR".
path_logo	Character string specifying the path to the logo image. If NULL, a default logo is used.
confidential	Logical value indicating whether the report should be marked as confidential. Default is FALSE.
report_type	Character string specifying the type of report. Default is "Data review report".
study_id	Character string representing the study identifier. Default is "CHUBXYYYY/NN".
study_name	Character string specifying the name of the study. Default is "The Study Name".
study_abbreviation	Character string providing the abbreviation of the study. Default is "TSN".
investigator	Character string representing the investigator's name. Default is "Investigator name".
methodologist	Character string specifying the methodologist's name. Default is "Jean Dupont".
biostatistician	Character string specifying the biostatistician's name. Default is "George Fraiss".
datamanager	Character string specifying the data manager's name. Default is "Peter Parker".
methodologist_mail	Character string specifying the methodologist's email. If NULL, it is generated automatically.
biostatistician_mail	Character string specifying the biostatistician's email. If NULL, it is generated automatically.
datamanager_mail	Character string specifying the data manager's email. If NULL, it is generated automatically.
language	Character string indicating the language of the report, either "fr" (French) or "en" (English). Default is "fr".

Value

None. The function writes an HTML report to the specified file path.

write_css	<i>Generate a CSS File</i>
-----------	----------------------------

Description

This function creates and writes a CSS file with predefined styling for tables and text formatting.

Usage

```
write_css(path)
```

Arguments

path Character string specifying the file path where the CSS file will be saved.

Value

None. The function writes a CSS file to the specified file path.

write_html_file	<i>Generate an HTML Report File</i>
-----------------	-------------------------------------

Description

This function creates and writes an HTML report file based on specified study and structure details.

Usage

```
write_html_file(  
  path,  
  structure = "USMR",  
  path_logo = NULL,  
  confidential = FALSE,  
  report_type = "Data review report",  
  study_id = "CHUBXXXX/NN",  
  study_name = "The Study Name",  
  study_abbreviation = "TSN",  
  investigator = "Investigator name",  
  methodologist = "Jean Dupont",  
  biostatistician = "George Frais",  
  datamanager = "Peter Parker",  
  methodologist_mail = NULL,  
  biostatistician_mail = NULL,  
  datamanager_mail = NULL,  
  language = "fr"  
)
```

Arguments

path	Character string specifying the file path where the HTML file will be saved.
structure	Character string indicating the organizational structure, either "USMR" or "EU-CLID". Default is "USMR".
path_logo	Character string specifying the path to the logo image. If NULL, a default logo is used.
confidential	Logical value indicating whether the report should be marked as confidential. Default is FALSE.
report_type	Character string specifying the type of report. Default is "Data review report".
study_id	Character string representing the study identifier. Default is "CHUBXYYYY/NN".
study_name	Character string specifying the name of the study. Default is "The Study Name".
study_abbreviation	Character string providing the abbreviation of the study. Default is "TSN".
investigator	Character string representing the investigator's name. Default is "Investigator name".
methodologist	Character string specifying the methodologist's name. Default is "Jean Dupont".
biostatistician	Character string specifying the biostatistician's name. Default is "George Frais".
datamanager	Character string specifying the data manager's name. Default is "Peter Parker".
methodologist_mail	Character string specifying the methodologist's email. If NULL, it is generated automatically.
biostatistician_mail	Character string specifying the biostatistician's email. If NULL, it is generated automatically.
datamanager_mail	Character string specifying the data manager's email. If NULL, it is generated automatically.
language	Character string indicating the language of the report, either "fr" (French) or "en" (English). Default is "fr".

Value

None. The function writes an HTML report to the specified file path.

write_qmd

Write a Quarto Markdown (.qmd) file

Description

This function generates a Quarto Markdown (.qmd) file with predefined metadata and a sample table.

Usage

```
write_qmd(path, path_html, path_css, study_abbreviation, name)
```

Arguments

path	Character string specifying the output file path for the .qmd file.
path_html	Character string specifying the path to an HTML file to be included before the body of the document.
path_css	Character string specifying the path to a CSS file for styling the document.
study_abbreviation	Character string providing the abbreviation of the study.
name	The name of the files

Details

The function creates a Quarto Markdown file with metadata fields such as title, author, date, and format settings. The HTML file specified in `path_html` is included before the body, and the CSS file specified in `path_css` is used for styling. The generated document includes an example of a start of report.

Value

None. The function writes a .qmd file to the specified path.

write_quarto_yaml	<i>write_quarto_yaml</i>
-------------------	--------------------------

Description

Write quarto extension

Usage

```
write_quarto_yaml(path)
```

Arguments

path	The path toward quarto yaml file
------	----------------------------------

Value

nothing

write_rendercopy	<i>write_rendercopy</i>
------------------	-------------------------

Description

A function to write a R file rendercopy

Usage

```
write_rendercopy(output_folder, path, name)
```

Arguments

output_folder	The output folder
path	The path of the R script
name	The name of the files

Value

Nothing

Index

[add_missing_info](#), 2
[add_pvalues](#), 3
[ajouter_label_ndm](#), 4

[base_table](#), 5

[css_generator](#), 6
[custom_format](#), 7
[custom_headers](#), 8
[custom_round](#), 9
[customize_table](#), 9
[customize_table_body](#), 11

[desc_ei_per_grade](#), 12
[desc_ei_per_pt](#), 14
[desc_var](#), 15
[df_builder_ae](#), 18

[from_name_to_adress](#), 19

[indent_gt_table](#), 19
[indent_gtsummary_table](#), 20
[intermediate_header](#), 21

[plot_butterfly_stacked_barplot](#), 22
[plot_dumbell](#), 24
[plot_patient_panchart](#), 25
[plot_volcano](#), 26
[prepare_table](#), 28

[reverselog_trans](#), 29
[riskdifference](#), 30

[select_plus](#), 30
[start_new_reporting](#), 31

[write_css](#), 33
[write_html_file](#), 33
[write_qmd](#), 34
[write_quarto_yaml](#), 35
[write_rendercopy](#), 36